



# KORTA

LED In-ground Up-light




DALI | ON/OFF



Wattage Range : **2W - 15W**  
 Lumen Range : **120 - 1300lm**  
 CCT : **2700K-6500K**  
 CRI : **80/90**  
 IP Rating : **IP67**  
**3** Step Macadam  
 Material : **Die Cast Aluminium**  
 Lifetime : **L70>50,000 hrs**  
 Voltage : **DC24V | 220-240V**

| Wattage | D   | H   | C       |
|---------|-----|-----|---------|
| 2W      | 32  | 50  | 28.5x70 |
| 4W      | 42  | 65  | 37x85   |
| 7W      | 65  | 80  | 56x105  |
| 10W     | 80  | 90  | 71x115  |
| 15W     | 100 | 106 | 88x135  |

Optics : 5° | 10° | 15° | 20° | 30° | 40° | 60°



## Application

Korta is a compact and modern lighting fixture designed to deliver precise, efficient illumination. Its minimalist form allows seamless integration into a variety of residential, commercial, and architectural environments.

## Accessories

### Backbox



### Optics



Clear  
Tempered Glass

### Glare Control



Honey Comb

### IP68 Connectors



T-Connector



I-Connector

BR-KO X R X X X X

2W-15W

Round

Trim

Glass

Narrow Medium Wide

6500K 4000K 3000K 2700K



