

NEONITE PRO

LED Flexible Neon Light (3D Bend)



DALI | ON/OFF





Dim 1



Dim 1



Dim 2



Dim 3

Wattage Range : **6W - 18W**
 Lumen Range : **490lm - 1430lm**
 CCT : **2700K-6500K**
 CRI : **80/90**
 IP Rating : **IP65/IP67/IP68**
3 Step Macadam
 Material : **Silicon**
 Lifetime : **L70>50,000 hrs**
 Voltage : **DC24V/48V**

Wattage	W	H	Reel Length
6W	16.5	16.5	Customizable from 1m up to 10m
12W	16.5	16.5	
6W	10	10	
10W	10	10	
18W	16.5	18	

Optics : 120°




Application

Neonite Pro 3D Bend LED Neon Flex Light is a premium, high-performance lighting solution designed for advanced architectural and creative applications. Featuring a specially engineered flexible silicone housing, the luminaire allows bending in multiple directions (top, side, and vertical), enabling true 3D shaping for complex and dynamic lighting designs.

Accessories

Channels & Clips



Cable Entry



Direct Entry Side Entry Bottom Entry

IP68 Connectors



T-Connector I-Connector

BR-NE X L X W X W X

6W-18W

Linear

Bottom Side Direct

White

3D bend Horizontal Vertical

Wide

4000K 3000K 2700K





