


# SCOPE

LED Projector Light




DALI | ON/OFF



Wattage Range : **6W - 40W**  
 Lumen Range : **600 - 4400lm**  
 CCT : **2700K-4000K**  
 CRI : **80/90**  
 IP Rating : **IP66**  
**3 Step Macadam**  
 Material : **Die Cast Aluminium**  
 Lifetime : **L70>50,000 hrs**  
 Voltage : **DC24V | 220-240V AC**

Wattage	D	H	L
6W	60	152	100
10W	80	181	128
18W	100	231	160
24W	150	231	160
40W	150	303	230

Optics : 15°, 25°, 40°, 60°, 10°60°, 20°55°



## Application

The Scope Projector Light is a high-performance architectural lighting fixture designed to deliver precise, controlled illumination for accent and feature lighting applications. With its refined optical system, it produces a well-defined beam that enhances architectural elements, façades, landscapes, artworks, and focal points with clarity and visual impact.

## Accessories

Spike | Hood | Base & Belt | Pole Mount 1 | Pole Mount 2 | Tree Mount



Glare Control



Honey Comb

IP68 Connectors



T-Connector



I-Connector

BR-SC X RT X AL WX

6W-40W

Round

Surface | Spike

Custom Grey Black White

AL

Narrow Medium Wide

4000K 3000K 2700K



