


SPIN

LED Recessed Downlight




DALI | ON/OFF



Wattage Range : **7W - 25W**
 Lumen Range : **700 - 2750lm**
 CCT : **2700K-4000K**
 CRI : **80/90**
 IP Rating : **IP44/IP65**
 3 Step Macadam
 Material : **Die Cast Aluminium**
 Lifetime : **L70 > 50,000 hrs**
 Voltage : **220-240V AC**

Wattage	D	H	C
7W-10W	62	85	55
12W-18W	84	110	75
20W-25W	105	130	95

Optics : 15° | 24° | 38° | 60°




Application

Designed to deliver high visual comfort by minimizing glare, Spin offers multiple reflector color configurations. It provides optimal lighting solutions for spaces that require consistent and uniform illumination. (Indoor_Wet Area)

Accessories

Trimless Frames



Frames with Trim



Reflectors



BR-SP XXXXXX

7W-25W

Square Round

TrimLess Trim

Custom Grey Black White

GO MB MS GS GB WH

Wide Medium Narrow

4000K 3000K 2700K







CAST

John	CHASO (NEWCASTLE)
John Foster	MELANIE (NEWCASTLE)
SAB	TOM (NEWCASTLE)
John	IAN (NEWCASTLE)
Edo Sotirov	STELLA (NEWCASTLE)
David Latham	KEAT (NEWCASTLE)
Angus Lushmore	CLARE (NEWCASTLE)
King Lushmore	COLIN (NEWCASTLE)
Wendell	MIKE (NEWCASTLE)
Wendell	THOMAS (NEWCASTLE)
Fernando	JAMES (NEWCASTLE)
Sam	JAMES (NEWCASTLE)
Robert A. Smith	MIKE (NEWCASTLE)
Robert A. Smith	ROBERTA (NEWCASTLE)
Robert A. Smith	MARCO (NEWCASTLE)
Robert A. Smith	MICHAEL (NEWCASTLE)
Robert A. Smith	SARAH (NEWCASTLE)
Robert A. Smith	JOSH (NEWCASTLE)

