


UNA

LED Wall Sconce Light



DALI | ON/OFF

Wattage Range : 5W - 35W | 2*5 - 2*35W
Lumen Range : 408 - 1788lm
CCT : 2700K-4000K
CRI : 80/90
IP Rating : IP66
3 Step Macadam
Material : Die Cast Aluminium
Lifetime : L70>50,000 hrs
Voltage : 220-240V AC

Wattage	D	H	W	Wattage	D	H	W
5W	50	120	73	2x5W	50	160	73
10W	60	140	83	2x10W	60	180	83
15W	75	170	98	2x15W	75	240	98
20W	100	220	125	2x20W	100	280	125
35W	129	250	154	2x35W	129	310	154

Optics : 15° | 24° | 36°

Application

The UNA Wall Sconce is a sophisticated and versatile lighting fixture designed to enhance indoor and outdoor wall spaces with elegant illumination. Its contemporary design seamlessly blends form and function, making it an ideal choice for residential, hospitality, and commercial environments.

Accessories

Glare Control



Honey Comb

Square Option



BR-UN X R X X X X

5W-35W | 2*5W-2*35W

Round

Surface

Custom Grey Black White

Narrow Medium Wide

4000K 3000K 2700K

IP68 Connectors



T-Connector



I-Connector







BRIGHTON 208

